



### Usage instructions:

1. Launch the product via 1-click. **Please wait until** the instance passes all status checks and is running. You can connect using your Amazon private key and 'ubuntu' login via SSH client.

- To update software, use: **sudo apt update** and **sudo apt upgrade**

2. Create a unique password for the interface.

- Log into the Database, use:

**mysql -u root -p**

- Use the password: **CC123!**

3. Change the highlighted yellow to your new password and run the command

**SET PASSWORD FOR 'root'@'localhost' = PASSWORD('YourNewPassword');**

**exit**

4. In a browser, go to your Instance Public IPv4 address

**http://server-ip-address/adminer**

*For Example: http://365.23.32/adminer*

Language: English ▼

*Adminer* 4.8.1

Login

|          |           |
|----------|-----------|
| System   | MySQL ▼   |
| Server   | localhost |
| Username | root      |
| Password |           |
| Database |           |

☐ Permanent login

- Username: root
- Your new password
- Leave the Database box **empty** because the root user has the access to all the available databases.

Language: English
MySQL » Server

Adminer 4.8.1

DB:

[SQL command](#)
[Import](#)
[Export](#)

Select database

[Create database](#)
[Privileges](#)
[Process list](#)
[Variables](#)
[Status](#)

MySQL version: **5.5.5-10.6.11-MariaDB-0ubuntu0.22.04.1** through PHP extension **MySQLi**  
Logged as: **root@localhost**

|                          | Database - Refresh | Collation          | Tables | Size - Compute |
|--------------------------|--------------------|--------------------|--------|----------------|
| <input type="checkbox"/> | information_schema | utf8mb3_general_ci | ?      | ?              |
| <input type="checkbox"/> | mysql              | utf8mb4_general_ci | ?      | ?              |
| <input type="checkbox"/> | performance_schema | utf8mb3_general_ci | ?      | ?              |
| <input type="checkbox"/> | sys                | utf8mb3_general_ci | ?      | ?              |

Selected (0)

Drop

For more info: <https://www.adminer.org/>

## **AWS Data**

- Data Encryption Configuration: This solution does not encrypt data within the running instance.
- User Credentials are stored: /root/.ssh/authorized\_keys & /home/ubuntu/.ssh/authorized\_keys
- Monitor the health:
  - Navigate to your Amazon EC2 console and verify that you're in the correct region.
  - Choose Instance and select your launched instance.
  - Select the server to display your metadata page and choose the Status checks tab at the bottom of the page to review if your status checks passed or failed.

### **Extra Information: (Optional)**

#### **Allocate Elastic IP**

To ensure that your instance **keeps its IP during restarts** that might happen, configure an Elastic IP. From the EC2 console:

1. Select ELASTIC IPs.
2. Click on the ALLOCATE ELASTIC IP ADDRESS.
3. Select the default (Amazon pool of IPv4 addresses) and click on ALLOCATE.
4. From the ACTIONS pull down, select ASSOCIATE ELASTIC IP ADDRESS.
5. In the box that comes up, note down the Elastic IP Address, which will be needed when you configure your DNS.
6. In the search box under INSTANCE, click and find your INSTANCE ID and then click ASSOCIATE.
7. Your instance now has an elastic IP associated with it.
8. For additional help: <https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/elastic-ip-addresses-eip.html>