



### **Usage instructions:**

- Create your “Key Pair” and save the file for **SSH** entry to your server.
- Launch your instance. Wait until the instance passes all the “status checks”.
- In a browser, visit the Ant Media admin login page:
  - <http://yourPublicIPv4address:5080>
- If you want to restart the server, SSH into your Ubuntu instance and run the following commands:  
  
`sudo systemctl status antmedia.service`  
  
`sudo service antmedia restart`

### **Optional**

If you would like to configure your application for a domain name and https. To set up an Elastic IP address follow these instructions.

To ensure that your instance keeps its IP during restarts that might happen, configure an Elastic IP. From the EC2 console:

1. Select ELASTIC IPs.
2. Click on the ALLOCATE ELASTIC IP ADDRESS.
3. Select the default (Amazon pool of IPv4 addresses) and click on ALLOCATE.
4. From the ACTIONS pull down, select ASSOCIATE ELASTIC IP ADDRESS.
5. In the box that comes up, note down the Elastic IP Address, which will be needed when you configure your DNS.
6. In the search box under INSTANCE, click and find your INSTANCE ID and then click ASSOCIATE.
7. Your instance now has an elastic IP associated with it.

**(Optional) To install SSL with a Domain Name:**

- First create the “A” record in your Hosted Zones of your domain name to point to your Public IP Address
- Next login to your Ubuntu server. Run at Root:
  - `sudo su`
- Next change into the directory: `usr/local/antmedia`
  - `cd /usr`
  - `cd local`
  - `cd antmedia`
- Once in the directory prompt: `usr/local/antmedia`
- Run the following command
- `./enable_ssl.sh -d www.yourdomainname.com`
- Follow steps
- If you need to restart the server:
- `sudo service antmedia restart`
- Next enter app through browser at: `https://yourdomainname.com:5443`